Ref. #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	594	(conver$4 or translat$3 or reformat$4 or reformat$4) with (CLI or "command") with (xml or html or representation or webpage or web adj page) and (@AD<"20011126" or @RLAD <"20011126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:21
L2	41	1 and hash$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:17
L3	14	1 and hash$3 and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:22
L4	43717	(conver$4 or translat$3 or reformat$4 or reformat$4) with (CLI or "command" or "commands") and (@AD<"20011126" or @RLAD <"20011126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:32
L5	104	4 and hash$3 and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:39
L6	2744	4 and ("709"/$3 or "370"/$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:29
L8	28	5 and ("709"/$3 or "370"/$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:23
L9	2044	4 and configur$5 near10 (router or switch or hub or network adj (device or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:28
L10	481	9 and ("709"/$3 or "370"/$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:39

L11	18	8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:32
L12	522	9 and ("709"/$3 or "370"/$6 or "707"/$6).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:39
L13	37	12 and hash$3 and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:40
L14	1	13 and xml and cli	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:05
L15	1	13 and cli	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 10:05
S1	13	(("5,519,704") or ("5,796,732") or ("5,832,503") or ("5,842,040") or ("5,872,928") or ("5,889,953") or ("6,097,697") or ("6,098,108") or ("6,104,700") or ("6,154,776") or ("6,167,445") or ("6,170,009") or ("6,243,747")).PN.	US-PGPUB; USPAT	OR	OFF	2005/02/17 16:29
S3	19	EP-384339$.did. EP-973296$.did. EP-993725$.did. EP-1012726$.did. EP-1026867$.did. EP-1047226$.did. EP-1090492$.did. EP-1091526$.did. WO-9824208$.did. WO-9901968$.did. WO-9911003$.did. WO-9967931$.did. WO-0004665$.did. WO-0041091$.did. WO-0119031$.did. WO-0147185$.did. WO-0147186$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:31
S4	32	S1 or S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:32
S5	10	(conver$4 or translat$3 or reformat$4 or reformat$4) with CLI adj4 command with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:42

S6	0	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:34
S7	9	S5 and configur$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:41
S8	3	S7 and (@AD<"20011126" or @RLAD <"20011126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:36
S9	557	(conver$4 or translat$3 or reformat$4 or reformat$4) with command with (xml or html or representation) and (@AD<"20011126" or @RLAD <"20011126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:43
S10	591	(conver$4 or translat$3 or reformat$4 or reformat$4) with command with (xml or html or representation or webpage or web adj page) and (@AD<"20011126" or @RLAD <"20011126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:10
S11	30	S10 and configur$5 near10 (router or switch or hub or network adj (device or component))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:10
S12	5	S11 and schema	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 16:46
S13	2	("6687817").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 17:09
S14	0	S10 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:09

S15	591	(conver$4 or translat$3 or reformat$4 or reformat$4) with "command" with (xml or html or representation or webpage or web adj page) and (@AD<"20011126" or @RLAD <"20011126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/18 09:14
S16	7	(conver$4 or translat$3 or reformat$4 or reformat$4) with CLI with (xml or html or representation or webpage or web adj page) and (@AD<"20011126" or @RLAD <"20011126")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:12
S17	3	S16 not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 17:12